Contents Guides

Regal Gas Chlorinator Systems

Models 210, 210-1, 220, 220-1, 250, 250-1 & 2101 Repair Kits



www.regalchlorinators.com | (772) 288-4854 | info@regalchlorinators.com

1044 S.E. Dixie Cutoff Road
Stuart, Florida 34994-3436

CONTENTS GUIDE *210*

Revised October 1, 2025

MODEL 210
REGAL GAS CHLORINATOR

Direct Cylinder Mounted, Vacuum Operated

Available Maximum Feed Rates: 4, 10, 25, 50, 100 lbs/24 hrs, (75, 200, 500, 900, 2000 gms/hr)

Standard Package and Instructions Includes:

Qty:	Part #	Description
1	A-820	Vacuum Regulator with 3/8" vent and vacuum fittings
1	A-930	Ejector Assembly including nozzle**, high/low pressure check valve, and 3/8" vacuum fitting
25 FT	VT-1	3/8" vent and vacuum tubing
10	G-201	Lead cylinder gaskets
1	Z-296	Rate valve tool
1	Z-297	Vent line bug screen

Approximate Shipping Weight: 9 lbs.

OPTIONAL EJECTORS:
- High Pressure Ejector **A-920**
- Low Pressure Ejector **A-921**
- Dual Check Valve Ejector **A-940**
- Dual Check Valve Ejector **A-950**

UPGRADE OPTIONS:
- Fittings and Tubing Size 1/2" or 5/8"

MODEL A-820 (Head ONLY)
VACUUM REGULATOR

Standard Package and Instructions Includes:

Qty:	Part #	Description
1	A-820	Vacuum Regulator with 3/8" vent and vacuum fittings
25 FT	VT-1	3/8" vent and vacuum tubing
10	G-201	Lead gaskets
1	Z-296	Rate valve tool
1	Z-297	Vent line bug screen

Approximate Shipping Weight: 7 lbs.

ACCESSORIES AVAILABLE
Smartvalves (Flow Pacing or Residual), Gas Detectors, Scales, Vacuum Monitor, Ton Container Adaptor, and More

**** NOZZLE CHART AND HYDRAULICS INFORMATION**
*Refer to **Application Bulletin 1002** in the Instruction Bulletin 1211 or Instruction Bulletin 1900*

Copyright 2025 Regal Chlorinators

1044 S.E. Dixie Cutoff Road
Stuart, Florida 34994-3436

CONTENTS GUIDE *210*


Revised October 1, 2025















REGAL SYSTEMS
1044 S.E. Dixie Cutoff Road
Stuart, Florida 34994-3436

CONTENTS GUIDE *210-1*

Revised October 1, 2025

MODEL 210-1
REGAL GAS CHLORINATOR

Direct Cylinder Mounted, Vacuum Operated with Remote Meter Assembly

Available Maximum Feed Rates: 4, 10, 25, 50, 100 lbs/24 hrs, (75, 200, 500, 900, 2000 gms/hr)

Standard Package and Instructions Includes:

Qty:	Part #	Description
1	A-801	Vacuum Regulator with 3/8" vent and vacuum fittings
		Assembly *Note:* Rate valve removed and opening plugged. Valve is on remote meter panel. Metering tube assembly replaced with plain glass tube.
1	A-255	Remote Meter Panel with vacuum fittings (for wall mounting)
1	A-930	Ejector Assembly including nozzle**, high/low pressure check valve, and 3/8" vacuum fitting
50 FT	VT-1	3/8" vent and vacuum tubing
10	G-201	Lead cylinder gaskets
1	Z-296	Rate valve tool
1	Z-297	Vent line bug screen

Approximate Shipping Weight: 10 lbs.

OPTIONAL EJECTORS:

- High Pressure Ejector **A-920**
- Low Pressure Ejector **A-921**
- Dual Check Valve Ejector **A-940**
- Dual Check Valve Ejector **A-950**

UPGRADE OPTIONS:

- Fittings and Tubing Size 1/2" or 5/8"
- 7500 Remote Meter Panel

MODEL A-801 (Head ONLY)
VACUUM REGULATOR WITH PLAIN GLASS TUBE

Standard Package and Instructions Includes:

Qty:	Part #	Description
1	A-801	Vacuum regulator with 3/8" vent and vacuum fittings with plain glass tube
25 FT	VT-1	3/8" vent and vacuum tubing
10	G-201	Lead gaskets
1	Z-296	Rate valve tool
1	Z-297	Vent line bug screen

Approximate Shipping Weight: 7 lbs.

ACCESSORIES AVAILABLE

Smartvalves (Flow Pacing or Residual), Gas Detectors, Scales, Vacuum Monitor, Ton Container Adaptor, and More

**** NOZZLE CHART AND HYDRAULICS INFORMATION**

*Refer to **Application Bulletin 1002** in the Instruction Bulletin 1211 or Instruction Bulletin 1900*

Copyright 2025 Regal Chlorinators

REGAL SYSTEMS
1044 S.E. Dixie Cutoff Road
Stuart, Florida 34994-3436

CONTENTS GUIDE *210-1*

Revised October 1, 2025



MODEL 210-1 with A-255



MODEL 210-1 with 7500 upgrade

MODEL AFP-100 Additional Point(s)

Up to 100 ppd maximum
Total combined feed rate cannot exceed 100 ppd

Each additional point includes:

Qty:	Part #	Description
1	A-255	Remote Meter Panel with fittings
1	A-930	Ejector Assembly including nozzle**, high/low pressure check valve, and 3/8" vacuum fitting
25 FT	VT-1	3/8" vent and vacuum tubing
1	ZZ-253	3/8" vacuum tubing tee

Approximate Shipping Weight: 2 lbs.

OPTIONAL EJECTORS:

- High Pressure Ejector **A-920**
- Low Pressure Ejector **A-921**
- Dual Check Valve Ejector **A-940**
- Dual Check Valve Ejector **A-950**

UPGRADE OPTIONS:

- Fittings and Tubing Size 1/2" or 5/8"
- 7500 Remote Meter Panel

ACCESSORIES AVAILABLE

Smartvalves (Flow Pacing or Residual), Gas Detectors, Scales, Vacuum Monitor, Ton Container Adaptor, and More

**** NOZZLE CHART AND HYDRAULICS INFORMATION**

*Refer to **Application Bulletin 1002** in the Instruction Bulletin 1211 or Instruction Bulletin 1900*

Copyright 2025 Regal Chlorinators

1044 S.E. Dixie Cutoff Road
Stuart, Florida 34994-3436

CONTENTS GUIDE 220

Revised October 1, 2025

MODEL 220

REGAL GAS CHLORINATOR

Direct Cylinder Mounted, Vacuum Operated

Available Maximum Feed Rates: 250 lbs/24 hrs, (5000 gms/hr)

Standard Package and Instructions Includes:

Qty:	Part #	Description
1	A-822	Vacuum Regulator with 1/2" vent and 1/2" vacuum fittings
1	A-930	Ejector Assembly includes nozzle**, high/low pressure check valve, and 1/2" vacuum fitting
25 FT	VT-2	1/2" vent and vacuum tubing
10	G-201	Lead cylinder gaskets
1	Z-296	Rate valve tool
1	Z-297	Vent line bug screen

Approximate Shipping Weight: 9 lbs.

OPTIONAL EJECTORS WITH 1/2" FITTINGS:

- High Pressure Ejector **A-922**
- Low Pressure Ejector **A-923**
- Dual Check Valve Ejector **A-940**
- Dual Check Valve Ejector **A-950**

UPGRADE OPTIONS:

- Fittings and Tubing Size 5/8"

MODEL A-822 (Head ONLY)

VACUUM REGULATOR

Standard Package and Instructions Includes:

Qty:	Part #	Description
1	A-822	Vacuum Regulator with 1/2" vent and 1/2" vacuum fittings
25 FT	VT-2	1/2" vent and vacuum tubing
10	G-201	Lead gaskets
1	Z-296	Rate valve tool
1	Z-297	Vent line bug screen

Approximate Shipping Weight: 7 lbs.

ACCESSORIES AVAILABLE

Smartvalves (Flow Pacing or Residual), Gas Detectors, Scales, Vacuum Monitor, Ton Container Adaptor, and More

**** NOZZLE CHART AND HYDRAULICS INFORMATION**


*Refer to **Application Bulletin 1002** in the Instruction Bulletin 1211 or Instruction Bulletin 1900*


Copyright 2025 Regal Chlorinators

1044 S.E. Dixie Cutoff Road
Stuart, Florida 34994-3436

CONTENTS GUIDE 220

Revised October 1, 2025


















REGAL SYSTEMS
1044 S.E. Dixie Cutoff Road
Stuart, Florida 34994-3436

CONTENTS GUIDE 220-1

Revised October 1, 2025

MODEL 220-1
REGAL GAS CHLORINATOR

Direct Cylinder Mounted, Vacuum Operated with Remote Meter Panel

Available Maximum Feed Rates: 250 lbs/24 hrs, (5000 gms/hr)

Standard Package and Instructions Includes:

Qty:	Part #	Description
1	A-802	Vacuum Regulator with 1/2" vent and 1/2" vacuum fitting
		Assembly Note: Rate valve removed and opening plugged. Valve is on remote meter panel. Metering tube assembly replaced with plain glass tube.
1	7500	Remote Meter Panel with 1/2" fittings (for wall mounting)
1	A-930	Ejector Assembly includes nozzle**, high/low pressure check valve, and 1/2" vacuum fitting
50 FT	VT-2	1/2" vent and vacuum tubing
10	G-201	Lead cylinder gaskets
1	Z-296	Rate valve tool
1	Z-297	Vent line bug screen **Approximate Shipping Weight:** 10 lbs.

OPTIONAL EJECTORS WITH 1/2" FITTINGS:

- High Pressure Ejector **A-922**
- Low Pressure Ejector **A-923**
- Dual Check Valve Ejector **A-940**
- Dual Check Valve Ejector **A-950**

UPGRADE OPTIONS:

- Fittings and Tubing Size 5/8"

MODEL A-802 (Head ONLY)
VACUUM REGULATOR WITH PLAIN GLASS TUBE

Standard Package and Instructions Includes:

Qty:	Part #	Description
1	A-802	Vacuum regulator with 1/2" vent and 1/2" vacuum fitting with plain glass tube
25 FT	VT-2	1/2" vent and vacuum tubing
10	G-201	Lead gaskets
1	Z-296	Rate valve tool
1	Z-297	Vent line bug screen **Approximate Shipping Weight:** 7 lbs.

ACCESSORIES AVAILABLE

Smartvalves (Flow Pacing or Residual), Gas Detectors, Scales, Vacuum Monitor, Ton Container Adaptor, and More

**** NOZZLE CHART AND HYDRAULICS INFORMATION**

*Refer to **Application Bulletin 1002** in the Instruction Bulletin 1211 or Instruction Bulletin 1900*

Copyright 2025 Regal Chlorinators

1044 S.E. Dixie Cutoff Road
Stuart, Florida 34994-3436

CONTENTS GUIDE 220-1

Revised October 1, 2025



1044 S.E. Dixie Cutoff Road
Stuart, Florida 34994-3436

CONTENTS GUIDE A-804

Revised October 1, 2025

MODEL A-804

*VACUUM REGULATOR WITH CLEAR METERING TUBE WITH BALL AND **NO SCALE***

Standard Package and Instructions Includes:

Qty:	Part #	Description
1	A-804	Vacuum Regulator with vent and vacuum fitting with clear metering tube with ball and NO SCALE **Assembly Note: Must specify vent and vacuum fitting size (3/8", 1/2", or 5/8")**
25 FT	**MUST SPECIFY**	VT-1 (3/8"), VT-2 (1/2"), or VT-3 (5/8") vent and vacuum tubing
10	G-201	Lead gaskets
1	Z-296	Rate valve tool
1	Z-297	Vent line bug screen

Approximate Shipping Weight: 7 lbs.

ACCESSORIES AVAILABLE

Smartvalves (Flow Pacing or Residual), Gas Detectors, Scales, Vacuum Monitor, Ton Container Adaptor, and More

**** NOZZLE CHART AND HYDRAULICS INFORMATION**

*Refer to **Application Bulletin 1002** in the Instruction Bulletin 1211 or Instruction Bulletin 1900*



Copyright 2025 Regal Chlorinators

1044 S.E. Dixie Cutoff Road
Stuart, Florida 34994-3436

CONTENTS GUIDE *250*

Revised October 1, 2025

MODEL 250
REGAL GAS CHLORINATOR

Direct Cylinder Mounted, Vacuum Operated

Available Maximum Feed Rates: 500 lbs/24 hrs, (10kg/hr)

Standard Package and Instructions Includes:

Qty:	Part #	Description	
1	A-825	Vacuum Regulator with 5/8” vent and vacuum fittings	
1	A-925	Ejector Assembly includes nozzle**, high/low pressure check valve, and 5/8” vacuum fitting	
25 FT	VT-3	5/8” vent and vacuum tubing	
10	G-201	Lead cylinder gaskets	
1	Z-296	Rate valve tool	
1	Z-297	Vent line bug screen	**Approximate Shipping Weight:** 10 lbs.

OPTIONAL EJECTORS WITH 5/8" FITTINGS:

- Low Pressure Ejector **A-926**
- Dual Check Valve Ejector **A-940**
- Dual Check Valve Ejector **A-950**

MODEL A-825 (Head ONLY)
VACUUM REGULATOR

Standard Package and Instructions Includes:

Qty:	Part #	Description	
1	A-825	Vacuum regulator with 5/8" vent and vacuum fittings	
25 FT	VT-3	5/8” vent and vacuum tubing	
10	G-201	Lead gaskets	
1	Z-296	Rate valve tool	
1	Z-297	Vent screen	**Approximate Shipping Weight:** 7 lbs.

ACCESSORIES AVAILABLE
Smartvalves (Flow Pacing or Residual), Gas Detectors, Scales, Vacuum Monitor, Ton Container Adaptor, and More

**** NOZZLE CHART AND HYDRAULICS INFORMATION**
*Refer to **Application Bulletin 1002** in the Instruction Bulletin 1211 or Instruction Bulletin 1900*

Copyright 2025 Regal Chlorinators

1044 S.E. Dixie Cutoff Road
Stuart, Florida 34994-3436

CONTENTS GUIDE *250*

Revised October 1, 2025



MODEL 250 with A-925

Highly Recommended Upgrade

A-940 Dual Check Valve Ejector



MODEL 250-1
REGAL GAS CHLORINATOR

Direct Cylinder Mounted, Vacuum Operated

Available Maximum Feed Rates: 500 lbs/24 hrs (10kg/hr)

Standard Package and Instructions Includes:

Qty:	Part #	Description
1	A-805	Vacuum Regulator with 5/8" vent and vacuum fittings ***Assembly Note:*** Rate valve removed and opening plugged. Valve is on remote meter panel. Metering tube assembly replaced with plain glass tube.
1	7500	Remote meter panel with 5/8" fittings (for wall mounting)
1	A-925	Ejector Assembly includes nozzle**, high pressure check valve, and 5/8" vacuum fitting
50 FT	VT-3	5/8" vent and vacuum tubing
10	G-201	Lead cylinder gaskets
1	Z-296	Rate valve tool
1	Z-297	Vent line bug screen

Approximate Shipping Weight: 10 lbs.

OPTIONAL EJECTORS WITH 5/8" FITTINGS:

- Low Pressure Ejector **A-926**
- Dual Check Valve Ejector **A-940**
- Dual Check Valve Ejector **A-950**

MODEL A-805 (Head ONLY)
VACUUM REGULATOR WITH PLAIN GLASS TUBE

Standard Package and Instructions Includes:

Qty:	Part #	Description
1	A-805	Vacuum regulator with 5/8" vent and vacuum fittings with plain glass tube
25 FT	VT-3	5/8" vent and vacuum tubing
10	G-201	Lead gaskets
1	Z-296	Rate valve tool
1	Z-297	Vent line bug screen

Approximate Shipping Weight: 7 lbs.

ACCESSORIES AVAILABLE

Smartvalves (Flow Pacing or Residual), Gas Detectors, Scales, Vacuum Monitor, Ton Container Adaptor, and More

**** NOZZLE CHART AND HYDRAULICS INFORMATION**

*Refer to **Application Bulletin 1002** in the Instruction Bulletin 1211 or Instruction Bulletin 1900*

Copyright 2025 Regal Chlorinators

1044 S.E. Dixie Cutoff Road
Stuart, Florida 34994-3436

CONTENTS GUIDE *250-1*

Revised October 1, 2025



MODEL AFP-100 Additional Point(s)

Up to 100 ppd maximum

Total combined feed rate cannot exceed 500 ppd

Each additional point includes:

Qty:	Part #	Description
1	A-255	Remote meter panel with 5/8" vacuum fittings
1	A-930	Ejector Assembly includes nozzle**, high/low pressure check valve, and 5/8" vacuum fitting
25 FT	VT-3	5/8" vent and vacuum tubing
1	ZZ-273	5/8" vacuum tubing tee

Approximate Shipping Weight: 2 lbs.

OPTIONAL EJECTORS WITH 5/8" FITTINGS:

- Dual Check Valve Ejector **A-940**
- Dual Check Valve Ejector **A-950**

UPGRADE OPTIONS:

- 7500 Remote Meter Panel

MODEL AFP-250 Additional Points(s)

Up To 250 ppd maximum

Total combined feed rate cannot exceed 500 ppd

Each additional point includes:

Qty:	Part #	Description
1	7500	Remote Meter panel with 5/8" vacuum fittings
1	A-930	Ejector Assembly includes nozzle**, high/low pressure check valve, and 5/8" vacuum fittings
25 FT	VT-3	5/8" vent and vacuum tubing
1	ZZ-273	5/8" vacuum tubing tee

Approximate Shipping Weight: 2 lbs.

OPTIONAL EJECTORS WITH 5/8" FITTINGS:

- Dual Check Valve Ejector **A-940**
- Dual Check Valve Ejector **A-950**

ACCESSORIES AVAILABLE

Smartvalves (Flow Pacing or Residual), Gas Detectors, Scales, Vacuum Monitor, Ton Container Adaptor, and More

**** NOZZLE CHART AND HYDRAULICS INFORMATION**

*Refer to **Application Bulletin 1002** in the Instruction Bulletin 1211 or Instruction Bulletin 1900*

Copyright 2025 Regal Chlorinators

REGAL SYSTEMS
1044 S.E. Dixie Cutoff Road
Stuart, Florida 34994-3436

CONTENTS GUIDE 2101

Revised October 1, 2025

MODEL 2101
REGAL GAS CHLORINATOR

Wall Mounted, Vacuum Operated with Remote Meter Assembly

Available Maximum Feed Rates: 1000 or 2000 lbs/24-hrs, (20 or 40 kg/hr)

Standard Package and Instructions Includes:

Qty:	Part #	Description
1	A-2821	Vacuum Regulator with 5/8" vent and 1" NPT vacuum fittings
1	A-2551 (1,000 ppd) OR A-2552 (2,000 ppd)	Remote meter panel with 1" NPT vacuum fittings (for wall mounting)
1	A-2920 (1,000 ppd) OR A-2922 (2,000 ppd)	Ejector Assembly includes nozzle, back pressure check valve, 1" NPT vacuum fitting ***(See Hydraulics Chart AB 1002)***
25 FT	VT-3	5/8" vent tubing
10	G-201	Lead cylinder gaskets
1	Z-296	Lead gasket remover
1	Z-297	Vent line bug screen

Approximate Shipping Weight: 23 lbs.

Note: No interconnecting vacuum piping is included

MODEL A-2821 (Head ONLY)
VACUUM REGULATOR

Standard Package and Instructions Includes:

Qty:	Part #	Description
1	A-2821	Vacuum Regulator with 5/8" vent and 1" NPT vacuum fittings
25 FT	VT-3	5/8" vent tubing
10	G-201	Lead cylinder gaskets
1	Z-296	Lead gasket remover
1	Z-297	Vent line bug screen

Approximate Shipping Weight: 6 lbs.

MODEL AFP-1000 Additional Point(s)
Up to 1000 ppd maximum
Total combined feed rate cannot exceed 2000 ppd

Each additional point includes:

Qty:	Part #	Description
1	A-2551	(1000 ppd) Remote meter panel with fittings
1	A-2920 or A-2922	(1000 or 2000 ppd) Ejector Assembly ***(See Hydraulics Chart AB 1002)***

Approximate Shipping Weight: 17 lbs.

Copyright 2024 Regal Chlorinators

1044 S.E. Dixie Cutoff Road
Stuart, Florida 34994-3436

CHLORINATOR AND EJECTOR REPAIR KIT CONTENTS GUIDE

Revised October 1, 2025

RK-200

REBUILD KIT FOR CHLORINATOR & SULPHONATOR VACUUM REGULATOR HEADS ONLY (TO 250 PPD)

***2 Kits Required for Switchover Models**

Kit includes:

Part No.	Qty	Description
B-230	1	DIAPHRAGM
G-202	2	METER TUBE GASKETS
S-301	1	INDICATOR SEAL
S-302	2	CHECK VALVE SEAL AND RV PLUG SEAL
S-401	1	VENT SEAL/SPACER “O” RING
S-402	1	INLET VALVE SEAT SEAL
S-403	1	BODY SEAL
S-404	3	ADAPTOR FACE SEAL & RV SEAT SEAL
S-406	1	INLET ADAPTOR PLUG O.D. SEAL
S-407	1	DIAPHRAGM PLATE SEAL
S-408	1	DIAPHRAGM BODY SEAL
S-409	1	VACUUM SEAL
S-413	1	BACK BODY INLET & SEAT SEAL
Y-275	1	FILTER
YV-210	1	INLET VALVE SEAT

RK-500

REBUILD KIT FOR MODELS 250/256/750/756 HEADS ONLY (500 PPD ONLY)

***2 Kits Required for Switchover Models**

Kit includes:

Part No.	Qty	Description
B-230	1	DIAPHRAGM
G-502	1	METER TUBE GASKET - UPPER
G-503	1	METER TUBE GASKET - LOWER
S-301	1	INDICATOR SEAL
S-302	2	RATE VALVE STEM SEAL
S-401	1	VENT SEAL/SPACER “O” RING
S-402	1	INLET VALVE SEAT SEAL
S-403	1	BODY SEAL
S-404	3	ADAPTOR FACE SEAL & RV SEAT SEAL
S-406	1	INLET ADAPTOR PLUG O.D. SEAL
S-407	1	DIAPHRAGM PLATE SEAL
S-408	1	DIAPHRAGM BODY SEAL
S-409	1	VACUUM SEAL
S-413	1	BACK BODY INLET & SEAT SEAL
Y-276/Y-270	1	FILTER/SUPPORT
YV-210	1	INLET VALVE SEAT

RK-930

REBUILD KIT FOR EJECTOR A-930

Kit includes:

Part No.	Qty	Description
E-303	1	DIAPHRAGM BOLT
E-304	1	DIAPHRAGM
E-305	1	DIAPHRAGM NUT
G-203	1	EJECTOR CHECK VALVE SEAT GASKET
G-204	2	EJECTOR BODY GASKET
S-302	1	O-RING
S-405	1	CHECK VALVE SEAT O-RING
S-417	1	BALL SEAL O-RING
E-556	1	BALL FOR CHECK VALVE

RK-900-LO

REBUILD KIT FOR EJECTORS A-921, A-923, A-926, A-921S, A-923S, A-926S

Kit includes:

Part No.	Qty	Description
E-303	1	DIAPHRAGM BOLT
E-304	1	DIAPHRAGM
E-305	1	DIAPHRAGM NUT
G-203	1	EJECTOR CHECK VALVE SEAT GASKET
G-204	2	EJECTOR BODY GASKET
S-302	1	CHECK VALVE SEAL

RK-940

REBUILD KIT FOR EJECTOR A-940

Kit includes:

Part No.	Qty	Description
S-405	1	CHECK VALVE SEAT O-RING
S-416	1	BODY SEAL O-RING
S-417	1	BALL SEAL O-RING
S-806	1	O-RING
E-556	1	BALL FOR CHECK VALVE
G-203	1	EJECTOR CHECK VALVE SEAT GASKET
G-204	2	EJECTOR BODY GASKET

RK-950

REBUILD KIT FOR EJECTOR A-950

Kit includes:

Part No.	Qty	Description
G-204	2	EJECTOR BODY GASKET
S-413	1	O-RING
S-415	1	BODY/RETAINER SEAL
S-416	1	BODY SEAL O-RING
S-417	1	BALL SEAL O-RING
S-418	1	POPPET SEAL

SPK-4

SPARE PARTS KIT FOR EJECTORS A-920, A-922, A-925, A-920S, A-922S, A925S (TO 500 PPD)

Kit includes:

Part No.	Qty	Description
E-250	1	EJECTOR CHECK VALVE
G-203	2	EJECTOR CHECK VALVE SEAT GASKET
G-204	2	EJECTOR BODY GASKET
S-405	1	CHECK VALVE SEAT "O" RING

Copyright 2025 Regal Chlorinators

1044 S.E. Dixie Cutoff Road
Stuart, Florida 34994-3436

REMOTE METER PANEL REPAIR KIT CONTENTS GUIDE

Revised October 1, 2025

RK-7500-10
Kit includes:

Part No.	Qty	Description
7521	2	TOP & BOTTOM BUSHING
G-701	2	TOP & BOTTOM METER TUBE GASKET
S-403	2	RATE VALVE PLUG O-RING
S-406	2	METER TUBE PLUG O-RING
G-700	2	TOP OR BOTTOM BUSHING GASKET

RK-7500-25
Kit includes:

Part No.	Qty	Description
7521	2	TOP & BOTTOM BUSHING
G-706	2	TOP & BOTTOM METER TUBE GASKET
S-403	2	RATE VALVE PLUG O-RING
S-406	2	METER TUBE PLUG O-RING
G-700	2	TOP OR BOTTOM BUSHING GASKET

RK-7500-50
Kit includes:

Part No.	Qty	Description
7522	2	TOP OR BOTTOM TUBE BUSHING
G-706	2	TOP OR BOTTOM TUBE GASKET
S-403	2	RATE VALVE PLUG O-RING
S-406	2	METER TUBE PLUG O-RING
G-700	2	TOP OR BOTTOM BUSHING GASKET

RK-7500-100
Kit includes:

Part No.	Qty	Description
7523	2	TOP & BOTTOM BUSHING
G-702	2	TOP OR BOTTOM TUBE GASKET
S-403	2	RATE VALVE PLUG O-RING
S-406	2	METER TUBE PLUG O-RING
G-700	2	TOP OR BOTTOM BUSHING GASKET

RK-7500-250
Kit includes:

Part No.	Qty	Description
7509	2	TOP OR BOTTOM TUBE BUSHING
G-703	2	TOP OR BOTTOM TUBE GASKET
S-403	2	RATE VALVE PLUG O-RING
S-406	2	METER TUBE PLUG O-RING
G-700	2	TOP OR BOTTOM BUSHING GASKET

RK-7500-500
Kit includes:

Part No.	Qty	Description
7510	2	TOP OR BOTTOM TUBE BUSHING
G-704	2	TOP OR BOTTOM TUBE GASKET
S-403	2	RATE VALVE PLUG O-RING
S-406	2	METER TUBE PLUG O-RING
G-700	2	TOP OR BOTTOM BUSHING GASKET

REPAIR KITS (1,000 - 2,000 PPD)

RK-2000
REBUILD KIT FOR MODELS 2101 & 2107 HEAD ONLY (1000 & 2000 PPD)
***2 Kits Required for 2107 Switchover Models*

Kit includes:

Part No.	Qty 1	Description
B-230	1	DIAPHRAGM
S-301	1	INDICATOR SEAL
S-401	1	VENT SEAL/SPACER “O” RING
S-403	1	VALVE SEAT SEAL
S-407	1	DIAPHRAGM PLATE SEAL
S-407	1	BACK BODY INLET SEAL
S-408	1	DIAPHRAGM BODY SEAL
S-409	1	VACUUM SEAL
S-415	1	BODY/RETAINER SEAL
S-806	1	ADAPTOR FACE SEAL
Y-276/Y-270	1	FILTER/SUPPORT
YV-2001	1	INLET VALVE SEAT

RK-2920/2922
REBUILD KIT FOR A-2920 & A-2922 EJECTORS (1000 & 2000 ppd)

Kit includes:

Part No.	Qty	Description
CV-2003	1	POPPET
CV-2005	1	SPRING
S-804	1	O-RING
S-805	1	O-RING
G-1000	2	GASKET

RK-2551/2552
REBUILD KIT FOR A-2551 & A-2552 EJECTORS (1000 & 2000 ppd)

Kit includes:

Part No.	Qty	Description
S-801	2	METERING TUBE SEAL
S-803	2	RATE VALVE STEM SEAL

Copyright 2025 Regal Chlorinators

REGAL

SYSTEMS

