



Contents Guides

Regal Gas Sulphonator Systems

**Models 710, 710-1, 720, 720-1, 750, 750-1
Repair Kits**





1044 S.E. Dixie Cutoff Road
Stuart, Florida 34994-3436

CONTENTS GUIDE 710

Revised October 1, 2025

MODEL 710

REGAL GAS SULPHONATOR

Direct Cylinder Mounted, Vacuum Operated

Available Maximum Feed Rates: 4, 10, 25, 50, 100 lbs/24 hrs, (75, 200, 500, 900 gms/hr)

Standard Package and Instructions Includes:

Qty:	Part #	Description
1	A-710	Vacuum Regulator with 3/8" vent and vacuum fittings Assembly Note: Includes (2) ZZ-250 Vacuum Fitting - 3/8" OD Tube x 1/4" NPT
1	A-920-S	Ejector Assembly includes nozzle**, high pressure check valve, and 3/8" vacuum fitting
25 FT	VT-1	3/8" vent and vacuum tubing
10	G-201	Lead cylinder gaskets
1	Z-296	Rate valve tool
1	Z-297	Vent line bug screen

Approximate Shipping Weight: 8 lbs.

OPTIONAL EJECTORS:

- Low Pressure Ejector **A-921-S**

UPGRADE OPTIONS:

- Fittings and Tubing Size 1/2" or 5/8"

MODEL A-710 (Head ONLY)

VACUUM REGULATOR

Standard Package and Instructions Includes:

Qty:	Part #	Description
1	A-710	Vacuum Regulator with 3/8" vent and vacuum fittings Assembly Note: Includes (2) ZZ-250 Vacuum Fitting - 3/8" OD Tube x 1/4" NPT
25 FT	VT-1	3/8" vent and vacuum tubing
10	G-201	Lead gaskets
1	Z-296	Rate valve tool
1	Z-297	Vent line bug screen

Approximate Shipping Weight: 7 lbs.

ACCESSORIES AVAILABLE

Smartvalves (Flow Pacing or Residual), Gas Detectors, Scales, Vacuum Monitor, Ton Container Adaptor, and More

**** NOZZLE CHART AND HYDRAULICS INFORMATION**

Refer to **Application Bulletin 1002** in the Instruction Bulletin 1211 or Instruction Bulletin 1900



1044 S.E. Dixie Cutoff Road
Stuart, Florida 34994-3436

CONTENTS GUIDE 710-1

Revised October 1, 2025

MODEL 710-1

REGAL GAS SULPHONATOR

Direct Cylinder Mounted, Vacuum Operated with Remote Meter Assembly

Available Maximum Feed Rates: 4, 10, 25, 50, 100 lbs/24 hrs, (75, 200, 500, 900, 2000 gms/hr)

Standard Package and Instructions Includes:

Qty:	Part #	Description
1	A-701	Vacuum Regulator with 3/8" vent and vacuum fittings Assembly Note: Rate valve removed and opening plugged. Rate valve is on remote meter panel. Metering tube assembly replaced with plain glass tube. <i>Includes:</i> (2) ZZ-250 Vacuum Fitting - 3/8" OD Tube x 1/4" NPT
1	A-255-S	Remote Meter Panel with 3/8" vacuum fittings (for wall mounting)
1	A-920-S	Ejector Assembly includes nozzle**, high pressure check valve, and 3/8" vacuum fitting
50 FT	VT-1	3/8" vent and vacuum tubing
10	G-201	Lead cylinder gaskets
1	Z-296	Rate valve tool
1	Z-297	Vent line bug screen

Approximate Shipping Weight: 8 lbs.

OPTIONAL EJECTORS:

- Low Pressure Ejector **A-921-S**

UPGRADE OPTIONS:

- Fittings and Tubing Size 1/2" or 5/8"
- 7500 Remote Meter Panel

MODEL A-701 (Head ONLY)

VACUUM REGULATOR WITH PLAIN GLASS TUBE

Standard Package and Instructions Includes:

Qty:	Part #	Description
1	A-701	Vacuum Regulator with 3/8" vent and vacuum fittings with plain glass tube Assembly Note: Includes (2) ZZ-250 Vacuum Fitting - 3/8" OD Tube x 1/4" NPT
25 FT	VT-1	3/8" vent and vacuum tubing
10	G-201	Lead gaskets
1	Z-296	Rate valve tool
1	Z-297	Vent line bug screen

Approximate Shipping Weight: 7 lbs.

ACCESSORIES AVAILABLE

Smartvalves (Flow Pacing or Residual), Gas Detectors, Scales, Vacuum Monitor, Ton Container Adaptor, and More

**** NOZZLE CHART AND HYDRAULICS INFORMATION**

Refer to **Application Bulletin 1002** in the Instruction Bulletin 1211 or Instruction Bulletin 1900



1044 S.E. Dixie Cutoff Road
Stuart, Florida 34994-3436

CONTENTS GUIDE 710-1

Revised October 1, 2025

MODEL AFP-100S Additional Point(s)

Up to 100 ppd maximum

Total combined feed rate cannot exceed 100 ppd

Each additional point includes:

Qty:	Part #	Description	
1	A-255-S	Remote Meter Panel with 3/8" vacuum fittings	
1	A-920-S	Ejector Assembly includes nozzle**, high pressure check valve, and 3/8" vacuum fitting	
25 FT	VT-1	3/8" vent and vacuum tubing	
1	ZZ-253	3/8" vacuum tubing tee	Approximate Shipping Weight: 2 lbs.

OPTIONAL EJECTORS:

- Low Pressure Ejector **A-921-S**

UPGRADE OPTIONS:

- Fittings and Tubing Size 1/2" or 5/8"
- 7500 Remote Meter Panel

ACCESSORIES AVAILABLE

Smartvalves (Flow Pacing or Residual), Gas Detectors, Scales, Vacuum Monitor, Ton Container Adaptor, and More

**** NOZZLE CHART AND HYDRAULICS INFORMATION**

*Refer to **Application Bulletin 1002** in the Instruction Bulletin 1211 or Instruction Bulletin 1900*



1044 S.E. Dixie Cutoff Road
Stuart, Florida 34994-3436

CONTENTS GUIDE 720

Revised October 1, 2025

MODEL 720

REGAL GAS SULPHONATOR

Direct Cylinder Mounted, Vacuum Operated

Available Maximum Feed Rates: 250 lbs/24 hrs, (5000 gms/hr)

Standard Package and Instructions Includes:

<u>Qty:</u>	<u>Part #</u>	<u>Description</u>
1	A-720	Vacuum Regulator with 1/2" vent and vacuum fittings Assembly Note: Includes (2) ZZ-260 Vacuum Fitting - 1/2" OD Tube x 1/4" NPT
1	A-922-S	Ejector Assembly includes nozzle**, high pressure check valve, and 1 1/2" vacuum fitting
25 FT	VT-2	1/2" vent and vacuum tubing
10	G-201	Lead cylinder gaskets
1	Z-296	Rate valve tool
1	Z-297	Vent line bug screen

Approximate Shipping Weight: 10 lbs.

OPTIONAL EJECTORS WITH 1/2" FITTINGS:

- Low Pressure Ejector **A-923-S**

UPGRADE OPTIONS:

- Fittings and Tubing Size 5/8"

MODEL A-720 (Head ONLY)

Vacuum Regulator

Standard Package and Instructions Includes:

<u>Qty:</u>	<u>Part #</u>	<u>Description</u>
1	A-720	Vacuum Regulator with 1/2" vent and vacuum fittings Assembly Note: Includes (2) ZZ-260 Vacuum Fitting - 1/2" OD Tube x 1/4" NPT
25 FT	VT-2	1/2" vent and vacuum tubing
10	G-201	Lead gaskets
1	Z-296	Rate valve tool
1	Z-297	Vent line bug screen

Approximate Shipping Weight: 7 lbs.

ACCESSORIES AVAILABLE

Smartvalves (Flow Pacing or Residual), Gas Detectors, Scales, Vacuum Monitor, Ton Container Adaptor, and More

** NOZZLE CHART AND HYDRAULICS INFORMATION

Refer to **Application Bulletin 1002** in the Instruction Bulletin 1211 or Instruction Bulletin 1900



1044 S.E. Dixie Cutoff Road
Stuart, Florida 34994-3436

CONTENTS GUIDE 720-1

Revised October 1, 2025

MODEL 720-1

REGAL GAS SULPHONATOR

Direct Cylinder Mounted, Vacuum Operated with Remote Meter Panel

Available Maximum Feed Rates: 250 lbs/24 hrs, (5000 gms/hr)

Standard Package and Instructions Includes:

Qty:	Part #	Description
1	A-702	Vacuum Regulator with 1/2" vent and vacuum fittings Assembly Note: Rate valve removed and opening plugged. Valve is on remote meter panel. Metering tube assembly replaced with plain glass tube. <i>Includes:</i> (2) ZZ-260 Vacuum Fitting - 1/2" OD Tube x 1/4" NPT
1	7500	Remote Meter Panel with 1/2" vacuum fittings (for wall mounting)
1	A-922-S	Ejector Assembly includes nozzle**, high pressure check valve, and 1/2" vacuum fitting
50 FT	VT-2	1/2" vent and vacuum tubing
10	G-201	Lead cylinder gaskets
1	Z-296	Rate valve tool
1	Z-297	Vent line bug screen

Approximate Shipping Weight: 10 lbs.

OPTIONAL EJECTORS WITH 1/2" FITTINGS:

- Low Pressure Ejector **A-923-S**

UPGRADE OPTIONS:

- Fittings and Tubing Size 5/8"

MODEL A-702 (Head ONLY)

Vacuum Regulator with Plain Glass Tube

Standard Package and Instructions Includes:

Qty:	Part #	Description
1	A-702	Vacuum Regulator with 1/2" vent and vacuum fittings and plain glass tube Assembly Note: Includes (2) ZZ-260 Vacuum Fitting - 1/2" OD Tube x 1/4" NPT
25 FT	VT-2	1/2" vent and vacuum tubing
10	G-201	Lead gaskets
1	Z-296	Rate valve tool
1	Z-297	Vent line bug screen

Approximate Shipping Weight: 7 lbs.

ACCESSORIES AVAILABLE

Smartvalves (Flow Pacing or Residual), Gas Detectors, Scales, Vacuum Monitor, Ton Container Adaptor, and More

**** NOZZLE CHART AND HYDRAULICS INFORMATION**

Refer to **Application Bulletin 1002** in the *Instruction Bulletin 1211* or *Instruction Bulletin 1900*



1044 S.E. Dixie Cutoff Road
Stuart, Florida 34994-3436

CONTENTS GUIDE 720-1

Revised October 1, 2025

MODEL AFP-100 Additional Point(s)

Up to 100 ppd maximum

Total combined feed rate cannot exceed 100 ppd

Each additional point includes:

Qty:	Part #	Description	Approximate Shipping Weight: 2 lbs.
1	A-255-S	Remote Meter panel with 1/2" vacuum fittings	
1	A-920-S	Ejector Assembly includes nozzle**, high pressure check valve, and 1/2" vacuum fitting	
25 FT	VT-2	1/2" vent and vacuum tubing	
1	ZZ-263	1/2" vacuum tubing tee	

OPTIONAL EJECTORS WITH 1/2" FITTINGS:

- Low Pressure Ejector **A-921-S**

UPGRADE OPTIONS:

- Fittings and Tubing Size 5/8"
- 7500 Remote Meter Panel

ACCESSORIES AVAILABLE

Smartvalves (Flow Pacing or Residual), Gas Detectors, Scales, Vacuum Monitor, Ton Container Adaptor, and More

**** NOZZLE CHART AND HYDRAULICS INFORMATION**

*Refer to **Application Bulletin 1002** in the *Instruction Bulletin 1211* or *Instruction Bulletin 1900**



1044 S.E. Dixie Cutoff Road
Stuart, Florida 34994-3436

CONTENTS GUIDE 750

Revised October 1, 2025

MODEL 750

REGAL GAS SULPHONATOR

Direct Cylinder Mounted, Vacuum Operated

Available Maximum Feed Rates: 500 lbs/24 hrs, (10kg/hr)

Standard Package and Instructions Includes:

Qty:	Part #	Description
1	A-750	Vacuum Regulator with 5/8" vent and vacuum fittings Assembly Note: Includes (1) ZZ-270 Vent Fitting - 5/8" OD Tube x 1/4" NPT and (1) ZZ-271 Vacuum Fitting- 5/8" OD Tube x 3/8" NPT
1	A-925-S	Ejector Assembly includes nozzle**, high pressure check valve, and 5/8" vacuum fitting
25 FT	VT-3	5/8" vent and vacuum tubing
10	G-201	Lead cylinder gaskets
1	Z-296	Rate valve tool
1	Z-297	Vent line bug screen

Approximate Shipping Weight: 10 lbs.

OPTIONAL EJECTORS WITH 5/8" FITTINGS:

- Low Pressure Ejector **A-926-S**

MODEL A-750 (Head ONLY)

VACUUM REGULATOR

Standard Package and Instructions Includes:

Qty:	Part #	Description
1	A-750	Vacuum Regulator with 5/8" vent and vacuum fittings Assembly Note: (1) ZZ-270 Vent Fitting - 5/8" OD Tube x 1/4" NPT and (1) ZZ-271 Vacuum Fitting- 5/8" OD Tube x 3/8" NPT
25 FT	VT-3	5/8" vent and vacuum tubing
10	G-201	Lead gaskets
1	Z-296	Rate valve tool
1	Z-297	Vent line bug screen

Approximate Shipping Weight: 7 lbs.

ACCESSORIES AVAILABLE

Smartvalves (Flow Pacing or Residual), Gas Detectors, Scales, Vacuum Monitor, Ton Container Adaptor, and More

** NOZZLE CHART AND HYDRAULICS INFORMATION

Refer to **Application Bulletin 1002** in the Instruction Bulletin 1211 or Instruction Bulletin 1900



1044 S.E. Dixie Cutoff Road
Stuart, Florida 34994-3436

CONTENTS GUIDE 750-1

Revised October 1, 2025

MODEL 750-1 REGAL GAS SULPHONATOR

Direct Cylinder Mounted, Vacuum Operated

Available Maximum Feed Rates: 500 lbs/24 hrs, (10kg/hr)

Standard Package and Instruction Includes:

<u>Qty:</u>	<u>Part #</u>	<u>Description</u>
1	A-705	Vacuum Regulator with 5/8" vent and vacuum fittings Assembly Note: Rate valve removed and opening plugged. Rate valve is on remote meter panel. Metering tube assembly replaced with plain glass tube. <i>Includes:</i> (1) ZZ-270 Vent Fitting - 5/8" OD Tube x 1/4" NPT and (1) ZZ-271 Vacuum Fitting- 5/8" OD Tube x 3/8" NPT
1	7500	Remote Meter Panel with 5/8" vacuum fittings (for wall mounting)
1	A-925-S	Ejector Assembly includes nozzle**, high pressure check valve, and 5/8" vacuum fitting
50 FT	VT-3	5/8" vent and vacuum tubing
10	G-201	Lead cylinder gaskets
1	Z-296	Rate valve tool
1	Z-297	Vent line bug screen

Approximate Shipping Weight: 10 lbs.

OPTIONAL EJECTORS WITH 5/8" FITTINGS:

- Low Pressure Ejector **A-926-S**

MODEL A-705 (Head ONLY) VACUUM REGULATOR WITH PLAIN GLASS TUBE OR PLAIN GLASS TUBE WITH BALL

Standard Package and Instructions Includes:

<u>Qty:</u>	<u>Part #</u>	<u>Description</u>
1	A-705	Vacuum Regulator with 5/8" vent and vacuum fittings with plain glass tube or plain glass tube with ball Assembly Note: (1) ZZ-270 Vent Fitting - 5/8" OD Tube x 1/4" NPT and (1) ZZ-271 Vacuum Fitting- 5/8" OD Tube x 3/8" NPT
25 FT	VT-3	5/8" vent and vacuum tubing
10	G-201	Lead gaskets
1	Z-296	Rate valve tool
1	Z-297	Vent screen

Approximate Shipping Weight: 7 lbs.

ACCESSORIES AVAILABLE

Smartvalves (Flow Pacing or Residual), Gas Detectors, Scales, Vacuum Monitor, Ton Container Adaptor, and More

**** NOZZLE CHART AND HYDRAULICS INFORMATION**

Refer to **Application Bulletin 1002** in the Instruction Bulletin 1211 or Instruction Bulletin 1900
Copyright 2025 Regal Chlorinators



1044 S.E. Dixie Cutoff Road
Stuart, Florida 34994-3436

CONTENTS GUIDE 750-1

Revised October 1, 2025

MODEL AFP-100S Additional Point(s)

Up to 100 ppd maximum

Total combined feed rate cannot exceed 500 ppd

Each additional point includes:

<u>Qty:</u>	<u>Part #</u>	<u>Description</u>	
1	A-255-S	Remote Meter Panel with 5/8" vacuum fittings	
1	A-920-S	Ejector Assembly includes nozzle**, high pressure check valve, and 5/8" vacuum fitting	
25 FT	VT-3	5/8" vent and vacuum tubing	
1	ZZ-273	5/8" vacuum tubing tee	Approximate Shipping Weight: 2 lbs.

OPTIONAL EJECTORS WITH 5/8" FITTINGS:

- Low Pressure Ejector **A-921-S**

UPGRADE OPTIONS:

- 7500 Remote Meter Panel

MODEL AFP-250S Additional Points(s)

Up To 250 ppd maximum

Total combined feed rate cannot exceed 500 ppd

Each additional point includes:

<u>Qty:</u>	<u>Part #</u>	<u>Description</u>	
1	7500	Remote Meter Panel with 5/8" vacuum fittings	
1	A-922-S	Ejector Assembly includes nozzle**, high pressure check valve, and 5/8" vacuum fitting	
25 FT	VT-3	5/8" vent and vacuum tubing	
1	ZZ-273	5/8" vacuum tubing tee	Approximate Shipping Weight: 2 lbs.

OPTIONAL EJECTORS WITH 5/8" FITTINGS:

- Low Pressure Ejector **A-923-S**

ACCESSORIES AVAILABLE

Smartvalves (Flow Pacing or Residual), Gas Detectors, Scales, Vacuum Monitor, Ton Container Adaptor, and More

** NOZZLE CHART AND HYDRAULICS INFORMATION

*Refer to **Application Bulletin 1002** in the Instruction Bulletin 1211 or Instruction Bulletin 1900*



CHLORINATOR AND EJECTOR REPAIR KIT CONTENTS GUIDE

1044 S.E. Dixie Cutoff Road
Stuart, Florida 34994-3436

Revised August 1, 2025

RK-200

REBUILD KIT FOR CHLORINATOR & SULPHONATOR VACUUM REGULATOR HEADS ONLY (TO 250 PPD)

****2 Kits Required for Switchover Models**

Kit includes:

<u>Part No.</u>	<u>Qty.</u>	<u>Description</u>
B-230	1	DIAPHRAGM
G-202	2	METER TUBE GASKETS
S-301	1	INDICATOR SEAL
S-302	2	CHECK VALVE SEAL AND RV PLUG SEAL
S-401	1	VENT SEAL/SPACER "O" RING
S-402	1	INLET VALVE SEAT SEAL
S-403	1	BODY SEAL
S-404	3	ADAPTOR FACE SEAL & RV SEAT SEAL
S-406	1	INLET ADAPTOR PLUG O.D. SEAL
S-407	1	DIAPHRAGM PLATE SEAL
S-408	1	DIAPHRAGM BODY SEAL
S-409	1	VACUUM SEAL
S-413	1	BACK BODY INLET & SEAT SEAL
Y-275	1	FILTER
YV-210	1	INLET VALVE SEAT

RK-500

REBUILD KIT FOR MODELS 250/256/750/756 HEADS ONLY (500 PPD ONLY)

****2 Kits Required for Switchover Models**

Kit includes:

<u>Part No.</u>	<u>Qty.</u>	<u>Description</u>
B-230	1	DIAPHRAGM
G-502	1	METER TUBE GASKET - UPPER
G-503	1	METER TUBE GASKET - LOWER
S-301	1	INDICATOR SEAL
S-302	2	RATE VALVE STEM SEAL
S-401	1	VENT SEAL/SPACER "O" RING
S-402	1	INLET VALVE SEAT SEAL
S-403	1	BODY SEAL
S-404	3	ADAPTOR FACE SEAL & RV SEAT SEAL
S-406	1	INLET ADAPTOR PLUG O.D. SEAL
S-407	1	DIAPHRAGM PLATE SEAL
S-408	1	DIAPHRAGM BODY SEAL
S-409	1	VACUUM SEAL
S-413	1	BACK BODY INLET & SEAT SEAL
Y-276/Y-270	1	FILTER/SUPPORT
YV-210	1	INLET VALVE SEAT

RK-930

REBUILD KIT FOR EJECTOR A-930

Kit includes:

<u>Part No.</u>	<u>Qty.</u>	<u>Description</u>
E-303	1	DIAPHRAGM BOLT
E-304	1	DIAPHRAGM
E-305	1	DIAPHRAGM NUT
G-203	1	EJECTOR CHECK VALVE SEAT GASKET
G-204	2	EJECTOR BODY GASKET
S-302	1	O-RING
S-405	1	CHECK VALVE SEAT O-RING
S-417	1	BALL SEAL O-RING
E-556	1	BALL FOR CHECK VALVE

RK-900-LO

REBUILD KIT FOR EJECTORS A-921, A-923, A-926, A-921S, A-923S, A-926S

Kit includes:

<u>Part No.</u>	<u>Qty.</u>	<u>Description</u>
E-303	1	DIAPHRAGM BOLT
E-304	1	DIAPHRAGM
E-305	1	DIAPHRAGM NUT
G-203	1	EJECTOR CHECK VALVE SEAT GASKET
G-204	2	EJECTOR BODY GASKET
S-302	1	CHECK VALVE SEAL

RK-940

REBUILD KIT FOR EJECTOR A-940

Kit includes:

<u>Part No.</u>	<u>Qty.</u>	<u>Description</u>
S-405	1	CHECK VALVE SEAT O-RING
S-416	1	BODY SEAL O-RING
S-417	1	BALL SEAL O-RING
S-806	1	O-RING
E-556	1	BALL FOR CHECK VALVE
G-203	1	EJECTOR CHECK VALVE SEAT GASKET
G-204	2	EJECTOR BODY GASKET

RK-950

REBUILD KIT FOR EJECTOR A-950

Kit includes:

<u>Part No.</u>	<u>Qty.</u>	<u>Description</u>
G-204	2	EJECTOR BODY GASKET
S-413	1	O-RING
S-415	1	BODY/RETAINER SEAL
S-416	1	BODY SEAL O-RING
S-417	1	BALL SEAL O-RING
S-418	1	POPPET SEAL

SPK-4

SPARE PARTS KIT FOR EJECTORS A-920, A-922, A-925, A-920S, A-922S, A925S (TO 500 PPD)

Kit includes:

<u>Part No.</u>	<u>Qty.</u>	<u>Description</u>
E-250	1	EJECTOR CHECK VALVE
G-203	2	EJECTOR CHECK VALVE SEAT GASKET
G-204	2	EJECTOR BODY GASKET
S-405	1	CHECK VALVE SEAT "O" RING



1044 S.E. Dixie Cutoff Road
Stuart, Florida 34994-3436

REMOTE METER PANEL REPAIR KIT CONTENTS GUIDE

Revised August 1, 2025

RK-7500-10

Kit includes:

<u>Part No.</u>	<u>Qty.</u>	<u>Description</u>
7521	2	TOP & BOTTOM BUSHING
G-701	2	TOP & BOTTOM METER TUBE GASKET
S-403	2	RATE VALVE PLUG O-RING
S-406	2	METER TUBE PLUG O-RING
G-700	2	TOP OR BOTTOM BUSHING GASKET

RK-7500-50

Kit includes:

<u>Part No.</u>	<u>Qty.</u>	<u>Description</u>
7522	2	TOP OR BOTTOM TUBE BUSHING
G-706	2	TOP OR BOTTOM TUBE GASKET
S-403	2	RATE VALVE PLUG O-RING
S-406	2	METER TUBE PLUG O-RING
G-700	2	TOP OR BOTTOM BUSHING GASKET

RK-7500-250

Kit includes:

<u>Part No.</u>	<u>Qty.</u>	<u>Description</u>
7509	2	TOP OR BOTTOM TUBE BUSHING
G-703	2	TOP OR BOTTOM TUBE GASKET
S-403	2	RATE VALVE PLUG O-RING
S-406	2	METER TUBE PLUG O-RING
G-700	2	TOP OR BOTTOM BUSHING GASKET

RK-7500-25

Kit includes:

<u>Part No.</u>	<u>Qty.</u>	<u>Description</u>
7521	2	TOP & BOTTOM BUSHING
G-706	2	TOP & BOTTOM METER TUBE GASKET
S-403	2	RATE VALVE PLUG O-RING
S-406	2	METER TUBE PLUG O-RING
G-700	2	TOP OR BOTTOM BUSHING GASKET

RK-7500-100

Kit includes:

<u>Part No.</u>	<u>Qty.</u>	<u>Description</u>
7523	2	TOP & BOTTOM BUSHING
G-702	2	TOP OR BOTTOM TUBE GASKET
S-403	2	RATE VALVE PLUG O-RING
S-406	2	METER TUBE PLUG O-RING
G-700	2	TOP OR BOTTOM BUSHING GASKET

RK-7500-500

Kit includes:

<u>Part No.</u>	<u>Qty.</u>	<u>Description</u>
7510	2	TOP OR BOTTOM TUBE BUSHING
G-704	2	TOP OR BOTTOM TUBE GASKET
S-403	2	RATE VALVE PLUG O-RING
S-406	2	METER TUBE PLUG O-RING
G-700	2	TOP OR BOTTOM BUSHING GASKET

REPAIR KITS (1,000 - 2,000 PPD)

RK-2000

**REBUILD KIT FOR MODELS 2101 & 2107 HEAD ONLY
(1000 & 2000 PPD)**

****2 Kits Required for 2107 Switchover Models**

Kit includes:

<u>Part No.</u>	<u>Qty.</u>	<u>Description</u>
B-230	1	DIAPHRAGM
S-301	1	INDICATOR SEAL
S-401	1	VENT SEAL/SPACER "O" RING
S-403	1	VALVE SEAT SEAL
S-407	1	DIAPHRAGM PLATE SEAL
S-407	1	BACK BODY INLET SEAL
S-408	1	DIAPHRAGM BODY SEAL
S-409	1	VACUUM SEAL
S-415	1	BODY/RETAINER SEAL
S-806	1	ADAPTOR FACE SEAL
Y-276/Y-270	1	FILTER/SUPPORT
YV-2001	1	INLET VALVE SEAT

RK-2920/2922

**REBUILD KIT FOR A-2920 & A-2922 EJECTORS
(1000 & 2000 ppd)**

Kit includes:

<u>Part No.</u>	<u>Qty.</u>	<u>Description</u>
CV-2003	1	POPPET
CV-2005	1	SPRING
S-804	1	O-RING
S-805	1	O-RING
G-1000	2	GASKET

RK-2551/2552

**REBUILD KIT FOR A-2551 & A-2552 EJECTORS
(1000 & 2000 ppd)**

Kit includes:

<u>Part No.</u>	<u>Qty.</u>	<u>Description</u>
S-801	2	METERING TUBE SEAL
S-803	2	RATE VALVE STEM SEAL



